

# 60/40

SISTEMA DE ALMACENAMIENTO  
SYSTÈME DE STOCKAGE  
STORAGE SYSTEM





**60/40** is a front-office storage system with numerous individual and collective interior solutions that enable structuring of contemporary workspaces. It is a modular programme that enables zoning, creates spaces and articulates workstations by providing connectivity, support areas, soft partitions, acoustic solutions and wall claddings.


Featuring its asymmetrical doors with the accent on its perimeter, the opening system and the change between thicknesses, the system creates shadows, volumes and depths. The modules that compose the system are of different heights and lengths and come with various accessories and steel shelves. They enable total compositional freedom in the office, enriched by their palette of colours, materials and upholstered surfaces.

---

## Typologies

### H60

Melamine cabinets 60 cm high and 100 cm in length with 6 different combinations. Designed to make electrical installation easy. A third steel level can be added when two cabinets are joined.




The 60 cm-high cabinets are compatible with the Adapta +, Adapta 2+ and Twork desks. They can form configurations with individual desks and shared bench-type workstations. See prices for further information.




### H72-75

Melamine cabinets with a height of 72-75 cm available in two configurations: 80 cm and 160 cm. The double cabinets are 160 cm long and share a continuous worktop.




### H117

117 cm-high melamine cabinets. 80 cm long for symmetrical hinged doors and shelves or 100 cm for symmetrical and asymmetrical hinged doors, sliding doors, shelves and mixed cabinet.




### H156

Melamine cabinets with a height of 156 cm and a length of 80 or 100 cm with 6 different combinations. Sliding doors are no longer available at greater heights.



### H194

Melamine cabinets with a height of 194 cm and lengths of 80 and 100 cm with 7 different combinations. This is the "Icónico" model: upper and lower asymmetrical hinged doors in the middle of a space which can be complemented by a horizontal steel accessory.



(\*) Configurations in which the doors are outside the structure.

(\*) Configurations in which the doors are inside.

## General characteristics

### STRUCTURE

The 60/40 series cabinets have a wide variety of heights and lengths to provide an extensive range of possibilities:

Lengths (\*1): 80, 100 and 160 cm.

Depth: always 45 cm.

Heights: 60, 74, 117, 156 and 194 cm.

The cabinet structure is 19-mm melamine over high-density fibreboard (600 kg/m<sup>3</sup>) and 2 mm ABS/PVC edging. Available in the full range of melamine finishes by JG GROUP.

### BASE

55 mm-diameter plastic levellers adjustable from the inside using an Allen key. 70 kg load capacity and 20 mm height adjustment per leveller.

### HINGES

Modern, adaptable hinges distinguished with a Red Dot design award. The integrated damping mechanism is completely hidden from sight. This innovation meets the highest demands for convenience and functionality. The doors close with a light movement of the wrist - gently soundlessly - due to self-retraction from 35°. Can be assembled without the use of tools

### GUIDES

The sliding doors incorporate the Silent System that dampens the sliding door automatically and enables soft, safe closure. The drawers include guides with the Stop Control system, an integrated self-closure for automatic closing. Capacity up to 40 kg.

### DOORS

19-mm melamine over high-density fibreboard (600 kg/m<sup>3</sup>) and 2 mm ABS/PVC edging.

There are three types of doors:

- Classic hinged doors available in all models of the 60/40 series. They are also included in the mixed cabinet range, the result of combining the shelf cabinet with the hinged door model.

- Asymmetrical hinged doors designed to the 60/40 ratio that gives the series its name. They make their appearance in the Icónico model composed of two asymmetrical hinged door modules and a central space/shelf.

- Sliding doors, available in cabinets with heights of 60 and 117 cm. They include a final steel trim accessory.

### LOCK

Introducing a new concept of folding key in transparent plastic, compact and aesthetically pleasing that always combines perfectly with the unit. The key is features the JG logo. The lock and shield have aluminium finishes.

All cabinets in the collection include a lock except for the following:

- The cabinet consisting of one hinged door and 3 or 4 drawers. The drawers include a lock, but the hinged door does not.

- The sliding doors of the "Connection" cabinet.

- The accessory composed of two 100-cm drawers.

Lock on the drawers only.



No lock.



### HANDLES

In-house design handles manufactured in extruded aluminium. Outstanding for the purity and elegance of their lines, they provide a harmonic combination with the unit. Available in 2 finishes, anodized (AN) and white (B3)

### ASSEMBLY

The cabinets come pre-assembled to reduce assembly time which, depending on the model, is estimated at 5-10 minutes per cabinet once unpacked. The levellers are adjusted with precision from above by an Allen key.



(\*1) Not all lengths are available in all heights. See models for further information.



## Accessories


### FOR 60 CM-HIGH CABINETS

#### CONNECTION

Exclusive accessory for 60 cm-high cabinets. It consists of a steel plate module machined to enable attachment of the bases of the More Solutions electrical sockets by JG GROUP. Since it is designed to organise the cables, this makes an ideal accessory to facilitate electrification. Compatible with all JG GROUP socket bases: both 3-outlet and 2-outlet, UTE-type and SCHUKO-type (select from two trims depending on the unit model). The module is available in several finishes.



#### THIRD LEVEL



Accessory composed of two steel structures with two shelves. The third level is an accessory exclusive to the 60 cm-high cabinets. Finishes: white and aluminium.

- Divider 3rd level (length 2 metres): designed as a space divider or against the wall. Only enables shelf on one side.




### COMMON 60/40 ACCESSORIES

#### ACOUSTIC REAR SIDE


Composed of a MD board + textile cover. The upholstery can be of two types: SLIM S1, which covers the facing side of the board and DUO S2, which covers both sides of the board and all edges. Fixed to the surface with Velcro, which means that the accessory can be added at any time. This accessory is compatible with the entire range of 60/40 cabinets, with a few constraints (\*1) (\*2).

##### + POSITIONS

**IN FRONT** of the melamine rear of the cabinet so that the acoustic back is visible from the **INTERIOR** of the same.



**BEHIND** the melamine rear of the cabinet so that the acoustic rear is visible from the **OUTSIDE** of the same.



##### + IMPORTANT NOTES

\*1. Connection-type 60 cm-high cabinets and all models with drawers are only compatible with the back in the outside position (BEHIND).

\*2. It is necessary to order TWO 80 cm-wide upholstered rear panels for the 74 cm-high, 160 cm-long cabinets.

##### + DIMENSIONS

Rear width of **100 cm.**

Available for cabinets with heights of:

- 60 cm.
- 117 cm.
- 156 cm.
- 194 cm.

Thickness according to upholstery:

- S1: 8,5 mm.
- S2: 7,5 mm.

Traseras de ancho **80 cm.**

Available for cabinets with heights of:

- 72-75 cm. (\*2)
- 117 cm.
- 156 cm.
- 194 cm.

Thickness according to upholstery:

- S1: 8,5 mm.
- S2: 7,5 mm.

Accessories

MODULES

Available in the finishes of the metal structure and in the new metallic coloured finishes.

- HORIZONTAL: Steel accessory with a horizontal divider, available with a height of 35 cm and length of 100 cm. Only compatible with the Icónico model.



- VERTICAL: Metallic accessory with vertical dividers of with a height of 35 cm, available in lengths of 100 and 80 cm. It is joined to the cabinet structure with screws and therefore does not require a shelf for placement.



SHELVES

There are three types of shelves, each available for cabinets with lengths of 1000 mm and 800 mm covering the entire range of the 60/40 series. They appear individually and in packs of two units in the price list.

- 30 mm-thick melamine shelf. Finishes: melamine by JG GROUP.
- Metal shelf thickness: 30 mm. Composed of a steel plate of uniform thickness. Suitable for hanging folders.
- Thin metal shelf 18 mm thick composed of a metal sheet. Not compatible with hanging folders. Finishes: the entire range of metallic, including metallic in color.




DRAWER

Accessory composed of two steel drawers, with 19 mm melamine fronts. This accessory incorporates its own system of guides, with an anti-tilt system. The drawers are opened with the characteristic 60/40 series handles. Does not incorporate damping.

H 60	H 72-75	H 117	H 155	H 194
X	X	QC1F-AT0710 S1/S2	QC1F-AT1210 S1/S2	QC1F-AT1610 S1/S2

IMPORTANT NOTES:

- 1- This accessory is only compatible with 100 cm-wide cabinets.
- 2- Request one size smaller than the usual when ordering an acoustic rear panel. The acoustic rear panel is not compatible with the drawer accessory in 60 or 70 cm-high cabinets.



3- When the cabinet is fitted with the drawer accessory the acoustic rear panel can only be added from the rear (outside).

PEN TRAY

Thermoformed tray made of 1.5 mm-thick matt black PS. Designed to contain the usual office items in an organised manner and to be always within reach.

This tray can be added to the 60 cm-high cabinets with drawers. Up to two trays can be placed in the same drawer.




Acoustic Screens

UPHOLSTERY S1

SLIM

- 100% PES.
- Specific weight: 500 g/m.l
- Tissue density: 166,7 kg/m3



In PANELS: Composed of a 9 mm thick melamine board covered on each side with a felt of 3 mm thickness.  
In REARS: Composed by a 2.5 mm thick MDF board. Covered by one of its faces, flush on the edge of the board.


UPHOLSTERY S2

DUO

- The fabric and the surface finish is a blend of 40% wool and 60% viscose.
- Specific weight: 250 g/m.l
  - Tissue density: 173,6 kg/m3


ERA

- The surface fabric is polyester.
- Composition: 100% polyester. Non-metallic dyes.
  - Specific weight: 320 g / m.l



En PANELS: Acoustic screen manufactured in 19 mm melamine on high density with a sheet of 2.5 mm medium density fibreboard (MDF) on each surface, and upholstery with a felt of 0.8mm  
In REARS: Composed by a 2.5 mm DM sheet covered by one of its faces with the fabric.

ACOUSTIC STUDY



LESS THAN 50 DECIBELS

Study to determine the acoustic absorption values for Duo and Slim panels in an empty room fitted with them, according to regulation ISO 354.

The Duo and Slim acoustic panel range noticeably helps reduce background noise levels and reverberation time in the space, making conversations more intelligible.

PANEL	RT60 (S)	AL (DB)
Empty room	1,35	---
Melamine	1,31	-0,1
S2 (DUO / ERA)	1,15	-1,0
S1 (SLIM)	1,00	-1,15



## Maintenance, Quality and Ecology

Our company has the quality certification ISO 9001 and TECNALIA for years, institution that verifies and standardizes raw material and compliance with European norms applicable to office furniture.

Regarding to environmental policy, our company has implemented and certified all the measures contained in the ISO 14001 and ISO 14006. Compliance with these standards facilitates obtaining LEED points with our products.

If some dirt is rather difficult to remove, use the same microfiber cloth or a 100% cotton one slightly moist with water and a little neutral soap or window-cleaning fluid (except natural wood). Then, dry the furniture with another soft, dry cloth. All the products that contain ammonia, caustic or solvent products are not recommended at all.

The cleaning products made specifically for furniture usually contain substances like wax to enhance the shine of natural wood surfaces that has been damaged by use and are timeworn, but such substances can give the furniture a greasy look and cause irreversible effects on it. Therefore these are also not recommended.



### RECYCLABLE

The components in our furniture are easy to separate out and recycle.



### MATERIALS

Recycled materials and secondary metals.



### USE

Our products are ergonomic and safe for users.




### TRANSPORT

We minimise the impact of transport and packaging on the environment.



### PRODUCTION

Production processes that are environmentally friendly.



MATERIAL	RECYCLED RAW MATERIAL (%)	END-OF-LIFE RECYCLABILITY (%)
Melamine	30%	100%
Steel	20-30%	100%
Aluminium	39%	100%



CERTIFIED COMPANY IN MANAGEMENT SYSTEM,  
QUALITY AND ENVIRONMENT BY:



Sistema de  
Gestión  
ISO 9001:2015  
ISO 14001:2015  
ISO 14006:2020  
www.tuv.com  
ID 1100008125